

 3D"PHP

```
/opt/plesk/php/.1/etc/php.d/phar.ini, /opt/plesk/php/.1/etc/php.d/posix.ini,
```

/opt/plesk/php/7.1/etc/php.d/snmp.ini, /opt/plesk/php/7.1/etc/php.d/soap.ini,
/opt/plesk/php/7.1/etc/php.d/sodium.ini, /opt/plesk/php/7.1/etc/php.d/sqlite3.ini,
/opt/plesk/php/7.1/etc/php.d/sysvmsg.ini, /opt/plesk/php/7.1/etc/php.d/sysvsem.ini,
/opt/plesk/php/7.1/etc/php.d/sysvshm.ini, /opt/plesk/php/7.1/etc/php.d/tidy.ini,
/opt/plesk/php/7.1/etc/php.d/xmlreader.ini, /opt/plesk/php/7.1/etc/php.d/xmlrpc.ini,
/opt/plesk/php/7.1/etc/php.d/xmlwriter.ini, /opt/plesk/php/7.1/etc/php.d/xsl.ini,
/opt/plesk/php/7.1/etc/php.d/zip.ini

PHP API	20160303
PHP Extension	20160303
Zend Extension	320160303
Zend Extension Build	API320160= 303,NTS
PHP Extension Build	API20160303,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTCP Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, c= onsumed, dechunk, mdecrypt.*, mdecrypt.*



This program makes use of the Zend Scripting Language Engine:

Zend = Engine v3.1.0, Copyright (c) 1998-2018 Zend Technologies
with the ionCube PHP Loader (enabled) + Intrusion Protection from
ioncube24.com (unconfigured) v10.2.1, Copyright (c) 2002-2018, by ionCube Ltd.
;with Zend OPcache v7.1.33, Copyright (c) 1999-2018, by Zend Technologies

Configuration

bcmath

BCMath support enabled

Directive	Local Value	Master Value
bcmath.scale	0	0

=

bz2

BZip2 Support Enable= d
Stream Wrapper support compress.bzip2://
Stream Filter support bzip2.decompress, bzip2.compress
BZip2 Version 1.0.6, 6-Sept-2010

calendar

Calendar support ena= bled

cgi-fcgi=

=
php-fpm active
<= td class=3D"e">cgi.force_redirectcgi.rfc2616_headers

Directive	Local Value	Master Value
cgi.discard_path= h	0	0
= cgi.fix_pathinfo	1	1
1	1	
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
0	= 0	
fastcgi.error_header	= no value	no value
fastcgi.logging	1	1
fpm.config	no value	no value

Core

PHP Version 7.1.33 <= /td>

Local ValueOn= error_reportingOn= <= td class=3D"e">include_path<= td class=3D"v">no
valuemax_execution_tiemax_input_vars= 4096<= td class=3D"v">25no value= Off

Directive	Local Value	Master Value
allow_url_f= open	On	On
allow_url_include	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
auto_append_file	no value	no value
auto_globals_jit	On	
auto_p= repend_file	no value	no v= alue
browscap	no va= lue	no value
de= fault_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	no value	no value
disable_functions	opcache_get_status<= /td>	opcache_get_status
display= _errors	Off	Off
display_startup_errors	Off	Off
doc_root	no value=	no value
docre= f_ext	no value	no value
docref_root	no value=	no value
enabl= e_dl	Off	Off
enable_post_data_reading	On	= On

error_append_string	= no value	no value
error_log	no value	no = value
error_prepend_string	no value	no value
22519	= 22519	
expose_php	On	
extension_dir	/opt/plesk/php/7.1/lib/php/modules	/opt/plesk/ph= p/7.1/lib/php/modules
file_uploads	On	On
hard_timeou= t	2	2
= highlight.comment	#FF800= 0	#FF8000<= /td>
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#00770= 0
highlight.string	= #DD0000	#DD0000
html_erro= rs	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off<= /td>	Off
ignore_user_abort	Off	Off
im= plicit_flush	Off	Off
./opt/plesk/php/7.1/share/= pear	./opt/plesk/php/7.1/share/pear	
input_encoding	no value	no value
internal_encoding	no value	
log_errors	On	= On
log_errors_max_len	1024=	1024
mail.add_x_header	Off	Off
= mail.force_extra_parameters	no value	no value
mail.log	no value	no value
60	60	
max_file_uploads	20	20
max_input_nesting_level	64	64
m= ax_input_time	60	60
1000	1= 000	
memory_limit	512M	512M
open_basedir	/var/www/vhosts/**.de/:/tmp/	/var/www/vho= sts/**.de/:/tmp/
output_buffering	4096	
ou= tput_encoding	no value	no= value
output_handler	= no value	no value
post_max_size	32M	32M
precision	14	14
realpath_cache_size	40= 96K	4096K
realpath_cache_t= tl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order=	GP	GP
sendmail_from	no value	n= o value
sendmail_path	= /usr/sbin/sendmail -t -i	/usr/sbin/send= mail -t -i
serialize_precision=	-1	-1
short_open_tag	Off	Off
SMTP	localhost	lo= calhost
smtp_port	25	
sql.safe_mode	Off	Off
sys_temp_di= r	no value	no value
track_errors	Off	Off

unserialize_callback_func	<i>no value</i>	
upload_max_filesize	16M	16M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	no value
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.assertions	-1	-1
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	
zend.script_encoding	<i>no value</i>	no value
zend.signal_check	Off	Off

ctype

ctype functions enabled

curl

Features: GSS-Negotiate TLS-SRP Yes = = libSSH Version =

cURL support enabled

cURL
Information 7.38.0

Age 3

AsynchDNS Yes

CharConv No

Debug No

No

IDN Yes

IPv6 Yes

krb4 No

Largefile Yes

libz Yes

NTLM Yes

NTLM-WB Yes

SPNEGO Yes

SSL Yes

SSPI No

Yes

HTTP2 No

GSSAPI

Protocols dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smtp, smtps, telnet, tftp

Host x86_64-pc-linux-gnu

SSL Version OpenSSL/1.0.1t

ZLib Version 1.2.8

libssh2/1.4.3

date

=

date/time support	en= abled
timelib version	20= 16.05
"Olson" Timezone Database Version 0.system	
Timezone Database	internal
Default timezone =	UTC

= =

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	no value	n= o value

dba

DBA support enabled =

Supported handlers cdb c= db_make db4 inifile flatfile

= flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	

= dom

= <= /tr>

DOM/XML	enabled
DOM/XML API Version	20031129=
libxml Version	2.9.1
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

enchant

= =

enchant support enabled	
Version	7.1.33
Libenchant Version 1.5.x	
aspell	Aspel= l Provider /usr/lib/x86_64-linux-gnu/enchant/libenchan= t_aspell.so
myspell	Mysp= ell Provider /usr/lib/x86_64-linux-gnu/enchant/libench= ant_myspell.so
ispell	Is= pell Provider /usr/lib/x86_64-linux-gnu/enchant/libenc= hant_ispell.so
hspell	Hs= pell Provider /usr/lib/x86_64-linux-gnu/enchant/libenc= hant_hspell.so

exif

EXIF Support	enabled=
EXIF Version	7.1.33
Supported EXIF Version 0220=	
Supported filetypes	JPE= G,TIFF

<= td class=3D"v">JIS<= td class=3D"e">exif.encode_unicode

Directiv= e	Local Value	Master Value
-------------	-------------	--------------

exi= f.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value
ISO-8859-15	ISO-8859-15	

fileinfo

=	
fileinfo support ena=	bled
version	1.0.5
libmagic	522

filter

Input Validation and Filtering enabled		
Revision	\$Id: 5a34caaa246b9df197f4b43af8ac66a07464fe4b \$	
Directive	Local Value = Master Value	
filter.default	unsafe_raw	unsafe_raw
fi= lter.default_flags	no value	= no value

ftp=

FTP support	enabled =
FTPS support	enabled

gd

<= td class=3D"v">2.5.2 enabled enabled 6b	
GD Support	enabled <= /td>
GD Version	bundled (2.1.0= compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	
GIF Read Support	
GIF Create Support	enabled
JPEG Support	
libJPEG Version	
PNG Support	enabled
libPNG Version	1.2.50
WBMP Support	enabled
XPM Support	e= nabled
libXpm Version	30= 411
XBM Support	enabled =
<= th>Local Value<= /table>	

gettext

Directive	Master Value	
gd.jpeg_ig= nore_warning	1	1
GetText Support enab=	led	

gmp

<= /tr>
gmp support enabled =
GMP version 6.0.0

hash

hash support enabled=
md2 md4= md5 sha1 sha224 sha256 sha384 sha512/224 sha512/256 sha512 sha3-224 sha3-2= 56 sha3-384
Hashing sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tige= r128,3 tiger160,3 tiger192,3 tiger128,4
Engines tiger160,4 tiger192,4 snefru snefru= 256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64
joa= at haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval1= 60,4 haval192,4
haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 hava= 1224,5 haval256,5

i= conv

iconv support enable= d
iconv implementation g= libc
iconv library version 2.19
no value=
Directi= ve Local Value Master Value
ic= onv.input_encoding no value = no value
iconv.internal_encoding no value
iconv.output_encoding no value no value

imagemick

<= tr><= /tr>Imagick compiled with ImageMagick version = ImageMagick 6.8.9-9 Q16 x86_64 2018-11-11
http://www.imagemagi= ck.org

imagemick module	enabled
imagemick module version	3.4.3
imagemick classes	Imagick, Imagi= ckDraw, ImagickPixel, ImagickPixelIterator, ImagickKernel
ImageMagick 6.8.9-9 Q16 x86_64 2015-01-05 http://www.imagemagick.org Imagick using ImageMagick library version	
ImageMagick copyright	Copyright (C) 1999-2014 ImageMagick Studio LLC
ImageMagick release date	2018-11-11
ImageMagick number of supported formats:	205
ImageMagick supported formats	3FR, AAI, AI, ART, ARW, AVI, AVS, BGR, BGRA, BIE, BMP, B= MP2, BMP3, BRF, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR= 2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, DXT1, DXT5, EPDF, EP= I, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, F= TS, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM,= HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, JBG, JBIG, JNG, JNX, JPEG= , JPG, JSON, K25, KDC, LABEL, M2V, M4V, MAC, MAP, MASK, MAT, MATTE, MEF, MI= FF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MTV, MVG, NEF, NRW, NULL= , ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PD= B, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA= , PNG, PNG00, PNG24, PNG32, PNG48, PNG64, PNG8, PNM, PPM, PREVIEW, PS, PS2,= PS3, PSB, PSD, PTIF, PWP, RADIAL-GRADIENT, RAF, RAS, RAW, RGB, RGBA, RGBO,= RGF, RLA, RLE, RMF, RW2,

SCR, SCT, SFW, SGI, SHTML, SIX, SIXEL, SPARSE-COL= OR, SR2, SRF, STEGANO, SUN, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, = TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VIPS, VST, WBMP, WMV= , WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, YCbCr, YCbCrA, YUV

=

Directive	Local Value	Master Value
imagemagick.locale_fix=	0	0
i= magick.progress_monitor	0	0
imagemagick.skip_version_check	0	0

imap=

IMAP c-Client Version 2007f

SSL Support enab= led

Kerberos Support ena= bled

Directive<= /th>	Local Value	Master Value
imap.= enable_insecure_rsh	Off	Off

intl

=

Internationalization support enab= led

version 1.1.0

ICU version 52.1

ICU Data version 52.1

no value=

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	
intl.error_level	0	0
intl.use_exceptions =	0	0

json

json support enabled=

json version 1.5.0

ldap

Enabled

LDAP Support enabled=

RCS Version \$Id: 5f1913= de8e05a346da913956f81e0c0d8991c7cb \$

Total Li= nks 0/unlimited

API Vers= ion 3001

Vendor Name OpenLDAP

Vendor Version 20440

SASL Support

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support activ= e

libXML Compiled Version 2.9.1

libXML Loaded Version 20901
libXML streams enabled

mbstr= ing

Multibyte Support en= abled
Multibyte string engine libmbfl
HTTP input encoding translatio= n disabled
libmbfl versi= on 1.3.2
oniguruma versi= on 5.9.6

mbstring extension makes use of "streamable kanji code filte= r and converter", which is distributed under the GNU Lesser General Public = License version 2.1.

=
Multibyte (japanese) regex support enabled
Multibyte regex (oniguruma) backtrack check On
Multibyte regex (oniguruma=) version 5.9.6
<= /tr><= td class=3D"e">mbstring.internal_encoding=

Directive	Local Value	Master Value
mbstring.detect_order	no = value	no value
= mbstring.encoding_translation	Off	O= ff
mbstring.func_overload	= 0	0
mbstring.http_input	no value	no value
mbstring.http_output	no valu= e	no value
mbst= ring.http_output_conv_mimetypes	^(text/application/xht= ml+xml)	^(text/application/xhtmll+xml)
no value	no value	
mbstrin= g.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_charac= ter	no value	no value=

mcrypt

<= tr class=3D"h">
mcrypt support enabled
mcrypt_filter support enabled
Version 2.5.8
Api No 20021217
Support= ed ciphers cast-128 gost rijndael-128 twofish arcfour = cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-25= 6 serpent xtea blowfish enigma rc2 tripledes
Supported modes cbc cfb ctr ecb ncfb nofb ofb stream =
=

mysqli

Directive	Local Value	Master Value
mcrypt.al= gorithms_dir	no value	no = value
mcrypt.modes_dir	no value	no value

<= tr><= /tr>

Mysqli Support enabled
Client API library version mysqlnd = 5.0.12-dev - 20150407 - \$Id: 38fea24f2847fa7519001be390c98ae0acafe387 \$
Active Persistent Links 0 <= /td>

Inactive Persistent Links 0
Active Links 0

<= td class=3D"v">/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	<= i>no value	no value
mysql.default_port	3306	3306
mysql.default_pw	no = value	no value
mysql.default_socket	/var/run/mysqld/mysqld.sock	
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off
mysql.rollback_on_cached_plink	Off	Off

mysqld

=

mysqld	enabled
Version	mysqld 5.0.12-dev - 20150407 - \$Id: 38fea24f2847fa7519001be390c98ae0acafe387 \$
Compression	supported
Core SSL	supported
extended SSL	supported
Command-line buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqld,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_sha256_password
API Extensions	mysql,pdo_mysql
packets_received	<= td class=3D"e">bytes_received_rset_header_packet packets_received_rset_field_meta = = 0 0 <= td class=3D"e">unbuffered_sets = 0 0 <= /tr>= 0 = = = 0 = proto_binary_fetched_date = = = com_change_user 0

mysqld statistics

bytes_sent	0
bytes_received	0
packets_sent	0
0	
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
0	
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	<= /td> 0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0

packets_received_rset_header	0
0	
packets_received_rset_row	0 <= /td>
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	
non_result_set_queries	
no_index_used	0
bad_index_used	= 0
slow_queries	0
buffered_sets	0
0	
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
f= lushed_ps_sets	0
ps_prep= ared_never_executed	0
ps= _prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0 <= /td>
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffere= d	0
rows_fetched_from_cl= ient_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	
rows_affected_normal	
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0=
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0 =
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
= active_persistent_connections	0
explicit_close	0
implicit_close	0
discon= nect_close	0
in_middle_o= f_command_close	0
explic= it_free_result	0
implici= t_free_result	0
explicit= _stmt_close	0
implicit_s= tmt_close	0
mem_emalloc_= count	0
mem_emalloc_amou= nt	0
mem_ecalloc_count <= /td>	0
mem_ecalloc_amount	0

mem_erealloc_count	
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0 <= /td>
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_ = estrndup_count	0
mem_str= ndup_count	0
mem_estrndup= _count	0
mem_strdup_coun= t	0
mem_edupl_count	0
mem_dupl_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	
proto_text_fetched_tinyint	0
proto_text_fetched_short =	0
proto_text_fetched_int= 24	0
proto_text_fetched_ = int	0
proto_text_fetched= _bigint	0
proto_text_fet= ched_decimal	0
proto_tex= t_fetched_float	0
proto_ = text_fetched_double	0
pr= oto_text_fetched_date	0
= proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	= 0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short=	0
proto_binary_fetched_ = int24	0
proto_binary_fet= ched_int	0
proto_binary_ = fetched_bigint	0
proto_b= inary_fetched_decimal	0
= proto_binary_fetched_float	0
proto_binary_fetched_double	0
0	
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0

proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_json	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
0	
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	= 0
com_daemon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBCVER	0x0380
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib
ODBC_LIBS	-lodbc

odbc.default_pw

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	no value	no value
odbc.default_user	no value	no value
odbc.defaultbinmode	return as is	return as is
odbc.default_lrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support enabled
 OpenSSL Library Version OpenSSL 1.0.1t 3 May 2016
 OpenSSL Header Version OpenSSL 1.0.1t 3 May 2016
 Openssl default config /usr/lib/ssl/openssl.cnf

Directive	Local Value	Master Value
openssl.cafile	no value	no value
openssl.capath	no value	no value

pcre

PCRE (Perl Compatible Regular Expressions) Support enabled
 PCRE Library Version 8.38 2015-11-23
 PCRE JIT Support enabled
 Master Value

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.jit	1	1
pcre.recursion_limit	100000	100000

PDO

PDO support enabled
 PDO drivers mysql, odbc, pgsql, sqlite

pdo_mysql

PDO Driver for MySQL enabled
 Client API version mysqlnd 5.0.12-dev - 20150407 - \$Id: 38fea24f2847fa7519001be390c98ae0acafe387 \$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

PDO_ODBC

PDO Driver for ODBC (unixODBC) enabled
 ODBC Connection Pooling Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL enabled

PostgreSQL(libpq) Version 9.4.22
Module version = 7.1.33
Revision \$Id: 9c= 5f356c77143981d2e905e276e439501fe0f419 \$

pdo_sqlite

PDO Driver for SQLite 3.x enabled=
SQLite Library 3.16.2

pgsql

PostgreSQL Support enabled
PostgreSQL(libpq) 9.4.2= 2
Version
PostgreSQL(libpq) Pos= tgreSQL 9.4.22 on x86_64-unknown-linux-gnu, compiled by gcc (Debian 4.9.2-1= 0+deb8u2) 4.9.2, 64-bit
Multibyte character s= enabled
support
SSL suppo= rt enabled
Active Persis= tent 0
Links
Active Link= s 0
= = =

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unli= mited	Unlimited
pgsql.max_= persistent	Unlimited	Unlimited

Phar

<= td class=3D"e">gzip compression = =
Phar: PHP Archive support enabled=
Phar EXT version 2.0.2 <= /td>
Phar API version 1.1.1
SVN revision \$Id: e117ab0d= c068703c55b505e78a0d3b3752e9c0b7 \$
Phar-based= phar archives enabled
T= ar-based phar archives enabled
ZIP-based phar archives enabled
enabled
bzip2 compression enabled
Native OpenSSL support enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar f= ully realized by Gregory Beaver and Marcus Boerger.
Portions of tar impl= ementation Copyright (c) 2003-2009 Tim Kientzle.
<= table>DirectiveLocal ValueMast= er Valuephar.cache_list<= i>no valueno
valuephar.readonlyOnOnphar.require_hashOnOn

posix

Revision \$Id: e3a2bc= 739dee8e0d29094e30e1cfbe3e87e2ceb4 \$

pspell

PSpell Support enabled

redis

Redis Support enabled

Redis Version 3.0.0

Reflection

Version	Reflection	enabled
\$Id: 279be19a9e466fb7cfea9841a6= 30521f99644504 \$		

session

Session Support	enabled
Registered save handlers	files user redis rediscluster redis rediscluster
Registered serializer handlers	php_serialize php php_binary
session.save_handler	no value
session.name	1440

SimpleXML

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	
session.gc_probability	0	0
session.lazy_write	On	On
PHPSESSID	PHPSESSID	
session.referer_check	no value	no value
session.save_path	files	
session.serialize_handler	php	php
session.sid_bits_per_character	5	5
session.sid_length	26	26
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_

session.= use_cookies	On	On
session.use_only_cookies	On	On
session.use_strict_mode	Off	Off
session.us= e_trans_sid	0	0

=		
Simplexml support	enabled	
Revision	\$Id: ae067cdcddf424d6e7= 62603905b98798bc924a00 \$	
Schema support	enabled	

soap

Soap Client enabled =
Soap Server enabled

<= /tr><= td class=3D"v">15		
Directive	L= ocal Value Master Value	
soap.wsdl_cach= e	1	1
= soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	
soap.wsdl_cache_limit	5	
soap.wsdl= _cache_ttl	86400	86400

sockets

Sockets Support enab= led

sodium

<= tr class=3D"h">		
sodium support	enabled	
sodium compiled version	2.0.13	
libsodium headers version	1.0.16	
libsodium library version	1.0.16	
SPL = <= td class=3D"e">Classes		

SPL support		enabled
		Countable, OuterIterator, R= ecursiveIterator, SeekableIterator, SplObserver, SplSubject
Interfaces		
AppendIterator, ArrayIterator, = ArrayObject, BadFunctionCallException, BadMethodCallException, CachingItera= tor, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyItera= tor, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, In= validArgumentException, IteratorIterator, LengthException, LimitIterator, L= ogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, Ou= tOfRangeException, OverflowException, ParentIterator, RangeException, Recur= siveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterato= r, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIt= erator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, Runti= meException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray= , SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQ= ueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueExcep= tion		

sqlite3 = <= /tr>		
SQLite3 support	enabled	

SQLite3 module version 7.1.33
SQLite Library 3.28.0
Directive Local Value Master Value
sqlite3.defensive 1 1
= sqlite3.extension_dir no value no value

standard

Dynamic Library Support enabled
Path to sendmail /usr/sbin/sendmail -t -i
0assert.exception0= no value=

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	
assert.callback	no value	no value
0	0	
assert.quiet_eval	0	
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60=
from	no value	no value
session.trans_sid_hosts	no value	no value
session.trans_sid_tags	a=3Dhref,area=3Dhref,frame=3Dsrc,form=3D	a=3Dhref,area=3Dhref,frame=3Dsrc,form=3D
url_rewriter.hosts	no value	no value
url_rewriter.tags	form=3D=	form=3D
user_agent	no value	

sysvmsg

sysvmsg support enabled
Revision \$Id: 483c70= b5c54718693a4b95633a097e33d1120ba9 \$

sysvsem

=
Version 7.1.33

sysvshm

=
Version 7.1.33

tidy

Tidy support enabled
libTidy Release 25 March 2009
Extension Version 7.1.33 (\$Id: = c6d6b80d55c5d351deaa745c3c540971e5583c24 \$)
DirectiveLocal ValueMaster Value= aluetydy.clean_output= no valueno valuetidy.default_configno valueno value

tokenizer

Tokenizer Support enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.1

xmlreader

XMLReader enabled

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	7.1.33
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter enabled

xsl

XSL	enabled
libxslt Version	1.1.28
libxslt compiled against libxml Version	2.9.1
EXSLT	enabled
libexslt Version	1.1.28

Zend OPcache

Shared memory model	Cache hits 0
Opcode Caching	Up and Running
Optimization	Enabled
SHM Cache	Enabled
File Cache	Disabled
Startup	OK
mmap	
Cache misses	14
Used memory	20761032
Free memory	113456696
Wasted memory	0
Interned Strings	Used memory 813768
Interned Strings	Free memory 7574840
Cached scripts	13
Cached keys	13
Max keys	16229
OOM restarts	0
Hash keys restarts	0

Manual restarts

Directive |

Local Value	Master Value	
opcache.blacklist_filename	no value	
opcache.consistency_checks	0	0
opcache.dups_fix	Off	Off<= /td>
opcache.enable	On	On
opcache.enable_cli	Off	Off
opcache.enable_file_override	Off	Off
opcache.error_log	no value<= /td>	no value
opcache.fast_shutdown	0	0
opcache.file_cache	no value	no value
opcache.file_cache_consistency_checks	1	1
opcache.file_cache_only	0	0
opcache.file_update_protection	2	
opcache.force_restart_timeout	180	180
opcache.huge_code_pages	Off	Off
opcache.inherited_hack	On	On
opcache.interned_strings_buffer	8	8
opcache.lockfile_path	/tmp<= /td>	/tmp
opcache.log_verbosity_level	1	1
opcache.max_accelerated_files	10000	10000
opcache.max_file_size	0	0
opcache.max_wasted_percentage	5	5
opcache.memory_consumption	128	128
opcache.opt_debug_level	0	
opcache.optimization_level	0x7FFFBFFF	0x7FF= FBFFF
opcache.preferred_memory_model	no value	no value
opcache.protect_memory	0	0
opcache.restrict_api	no value	no value
opcache.revalidate_freq	2	2
opcache.revalidate_path	On	On
opcache.save_comments	1	1
opcache.use_cwd	On	On
opcache.validate_permission	On	
opcache.validate_root	Off	Off
opcache.validate_timestamps	On	On

zip

Zip enabled
Zip version 1.13.5
Libzip version 1.1.2

zlib

=

ZLib Support enabled
Stream Wrapper compress.zlib://
Stream Filter zlib.inflate, zlib.deflate
Compiled Version 1.2.8
Linked Version 1.2.8

Direc= tive	Local Value	Master Value
= zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler=	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
= ionCube Loader

Environment

PHP Variables

Variable	Value
USER	**
HOME	/var/www/vhosts/**.de
= <= /tr>= = projeqtor.**.de<= td class=3D"e">\$_SERVER['HTTP_ACCEPT']= \$_SERVER['REQUEST_TIME']<= /tr>	
Variable	Value
\$_SERVER['USER']	**
\$_SERVER['HOME']	/var/www/vhosts/**.de=
\$_SERVER['SCRIPT_NAME']	/= __info0.php
\$_SERVER['REQUEST_URI']	/__info0.php
\$_SERVER['QUERY_STRING']=]	<i>no value</i>
\$_SERVER= ['REQUEST_METHOD']	GET
\$_S= ERVER['SERVER_PROTOCOL']	HTTP/1.0
\$_SERVER['GATEWAY_INTERFACE']	CGI/1.1
\$_SERVER['REMOTE_PORT']	53312
\$_SERVER['SCRIPT_FILENAME']	/va= r/www/vhosts/**.de/httpdocs/projeqtor/__info0.php
\$_SERVER['SERVER_ADMIN']	[no address given]
\$_SERVER['CONTEXT_DOCUMENT_ROOT']	/var/www/vhosts/**.de/httpdocs/projeqtor
\$_SERVER['CONTEXT_PREFIX']	<i>no value</i>
\$_SERVER['REQUEST_SCHEME']	htt= ps
\$_SERVER['DOCUMENT_ROOT']	/var/www/vhosts/**.de/httpdocs/projeqtor
\$_SERVER['REMOTE_ADDR']	2a01:4f8:10b:3593::2
\$_SERVER['SERVER_PORT']	443
\$_SERVER['SERVER_ADDR']	2a01:4= f8:10b:3593::2
\$_SERVER['SERVER_NAME']	
\$_SERVER['S= ERVER_SOFTWARE']	Apache
\$_= SERVER['SERVER_SIGNATURE']	<address>Apache Server= at projeqtor.**.de Port 443</address>
\$_SERVER['PATH']	/usr/loc= al/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
\$_SERVER['HTTP_IS_SITEPREVIEW']	1
/	
\$_SERVER['HTTP_CONNECTION']	close
\$_SERVER['HTTP_X_ACCEL_INTERNAL']	/internal-nginx-static-location
\$_SERVER['= HTTP_X_REAL_IP']	2a01:4f8:10b:3593::2
\$_SERVER['HTTP_HOST']	projeqtor.**.de=
\$_SERVER['proxy-nokeepalive']	1
\$_SERVER['HTTPS']	on
\$_SERVER['UNIQUE_ID']	= Xi9M3V6CWCwAADAH3RMAAABE
\$_SERVER['FCGI_ROLE']=	RESPONDER
\$_SERVER['PHP_S= ELF']	/__info0.php

PHP Credits

=

PHP Group

Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski

Language Design & Concept

Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger

Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky, Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner

PHP Authors	
Contribution	Authors
Zend Scripting Language Engine	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchun Hui, Nikita Popov
Extension Module API	Andi Gutmans, Zeev Suraski, Andrei Zmievski
UNIX Build and Modularization	Stig Bakken, Sascha Schumann, Jani Taskinen
Windows Support	Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski, Kalle Sommer Nielsen
Server API (SAPI) Abstraction Layer	Andi Gutmans, Shane Caraveo, Zeev Suraski
Streams Abstraction Layer	Wez Furlong, Sara Golemon
PHP Data Objects Layer	
Output Handler	
Consistent 64 bit support	Anthony Ferrara, Anatol Belski

==

SAPI Modules	
Contribution	Authors
Apache 2.0 Handler	Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)
CGI / FastCGI	Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov
CLI	Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui
Embed	Edin Kadribasic
FastCGI Process Manager	Andrei Nigmatulin, dremcat4, Antony Dovgal, Jerome Loyet
litespeed	George Wang
phpdbg	Felipe Pena, Joe Watkins, Bob Weinand
SimpleXML	Tom May
Christian Stocker, Rob Richards	
Zlib	

Module Authors	
Module	Authors
Bcmath	Andi Gutmans
Bzip2	Sterling Hughes
Calendar	Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong
COM and .Net	Wez Furlong
ctype	Hartmut Holzgraefe
cURL	Sterling Hughes
Date/Time Support	Derick Rethans
DB-LIB (MS SQL, Sybase)	Wez Furlong, Frank M. Kromann
DBA	Sascha Schumann, Marcus Boerger
DOM	Christian Stocker, Rob Richards, Marcus Boerger
enchant	Pierre-Alain Joye, Ilia Alshanetsky

EXIF	Rasmus Lerdorf, Marcus Boerger
fileinfo	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans, Anatol Belski
Fir= ebird driver for PDO	Ard Biesheuvel
FTP	Stefan Esser, Andrew Skalski
GD imaging	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger
GetText	Alex Potnick
GNU GMP support	= Stanislav Malyshev
Iconv	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
IMAP	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
Input Filter	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
InterBase	Jouni Ahto, = Andrew Avdeev, Ard Biesheuvel
Internationalization	Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, = Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
JSON	Jakub Zelenka, Omar Kilani, Scott MacVicar
LDAP	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
LIBXML	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
mcrypt =	Sascha Schumann, Derick Rethans
Multibyte String Functions	Tsukada Takuya, Rui Hirokawa
MySQL driver for PDO	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
MySQLi	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
MySQL= nd	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schl=C3=BCter
OCI8	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Hara= ld Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle= e Corporation
ODBC driver for PDO	Wez Furlong
ODBC	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
Opcache	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Dmitry Stogov, Xinchun Hui
OpenSSL	Stig Venaas, Wez Furlong, Sascha K= ettler, Scott MacVicar
Oracle (OCI) driver fo= r PDO	Wez Furlong
pcntl =	Jason Greene, Arnaud Le Blanc
Perl Compatible Regexp	Andrei Zmievski
PHP Archive	Gregory Beaver, Marcus Boerger
PHP Data Objects	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
PHP hash	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
Posix	Kristian Koehn= pp
PostgreSQL driver for PDO	Edin Kadribasic, Ilia Alshanetsky
Post= greSQL	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris K= ings-Lynne
Pspell	Vlad K= rupin
Readline	Thies C. = Arntzen
Recode	Kristian = Koehntopp
Reflection	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
Sessions	Sascha = Schumann, Andrei Zmievski
Shared Memory Opera= tions	Slava Poliakov, Ilia Alshanetsky
Sterling Hughes, Marcus Boerg= er, Rob Richards	
SNMP	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hann= e, Boris Lytochkin
SOAP	= Brad Lafountain, Shane Caraveo, Dmitry Stogov
Sockets	Chris Vandomelen, Sterling Hughes, Daniel Beu= lshausen, Jason Greene

SPL	Marcus Boerger, Etienne Kneuss
SQLite 3.x = driver for PDO	Wez Furlong
SQLite3	Scott MacVicar, Ilia Alshanetsky, Brad Dewar
System V Message based IPC	Wez Furlong
System V Semaphores	
System V Shared Memory	Christian Cartus
tidy	John Coggeshall, Ilia Alshanetsky
tokenizer	Andrei Zmievski, Johannes Schlueter
WDDX	Andrei Zmievski
XML	Stig Bakken, Thies C. Arntzen, Sterling Hughes
XMLReader	Rob Richards
xmlrpc	Dan Libby
XMLWriter	Rob Richards, Pierre-Alain Joye
XSL	
Zip	Pierre-Alain Joye, Remi Collet
Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner	
PHP Documentation Authors Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Philip Olson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey Editor Peter Cowburn User Note Maintainers Daniel P. Brown, Thiago Henrique Pojda = Other Contributors Previously active authors, editors and other contributors are listed in the manual.	

PHP Quality Assurance Team

Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs

==

Websites and Infrastructure team

PHP Websites Team	Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison
Event Maintainers	Damien Seguy, Daniel P. Brown
Network Infrastructure	Daniel P. Brown
Windows Infrastructure	Alex Schoenmaker

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.

```
-----MultipartBoundary--IW6edCC7AunmURQbhpOuTUGliDFf043LxSeiyBD2FN---- Content-Type: text/css Content-
Transfer-Encoding: quoted-printable Content-Location: cid:css-a92e3f21-a286-41c2-8162-266e4305c0b3@mhtml.blink
@charset "utf-8"; body { background-color: rgb(255, 255, 255); color: rgb(34, 34, 34); font-family: sans-serif; } pre {
margin: 0px; font-family: monospace; } a:link { color: rgb(0, 0, 153); text-decoration: none; background-color: rgb(255,
255, 255); } a:hover { text-decoration: underline; } table { border-collapse: collapse; border: 0px; width: 934px; box-
shadow: rgb(204, 204, 204) 1px 2px 3px; } .center { text-align: center; } .center table { margin: 1em auto; text-align:
left; } .center th { text-align: center !important; } td, th { border: 1px solid rgb(102, 102, 102); font-size: 75%; vertical-
align: baseline; padding: 4px 5px; } h1 { font-size: 150%; } h2 { font-size: 125%; } p { text-align: left; } .e {
background-color: rgb(204, 204, 255); width: 300px; font-weight: bold; } .h { background-color: rgb(153, 153, 204);
font-weight: bold; } .v { background-color: rgb(221, 221, 221); max-width: 300px; overflow-x: auto; overflow-wrap:
```

break-word; } .v i { color: rgb(153, 153, 153); } img { float: right; border: 0px; } hr { width: 934px; background-color: rgb(204, 204, 204); border: 0px; height: 1px; } -----MultipartBoundary--IW6edCC7AunmURQbhpOuTUGliDFf043LxSeiyBD2FN-----