

## PHP Version 8.0.2



<b>System</b>	Linux effa5f35b7e3 5.4.83-v7l+ #1379 SMP Mon Dec 14 13:11:54 GMT 2020 armv7l
<b>Build Date</b>	Feb 9 2021 12:01:16
<b>Build System</b>	Linux 96bc8a22765c 4.15.0-129-generic #132-Ubuntu SMP Thu Dec 10 14:07:05 UTC 2020 armv8l GNU/Linux
<b>Configure Command</b>	'./configure' '--build=arm-linux-gnueabi' '--with-config-file-path=/usr/local/etc/php' '--with-config-file-scan-dir=/usr/local/etc/php/conf.d' '--enable-option-checking=fatal' '--with-mhash' '--with-pic' '--enable-ftp' '--enable-mbstring' '--enable-mysqlnd' '--with-password-argon2' '--with-sodium=shared' '--with-pdo-sqlite=/usr' '--with-sqlite3=/usr' '--with-curl' '--with-libedit' '--with-openssl' '--with-zlib' '--with-pear' '--with-libdir=lib/arm-linux-gnueabi' '--with-apxs2' '--disable-cgi' 'build_alias=arm-linux-gnueabi'
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/usr/local/etc/php
<b>Loaded Configuration File</b>	/usr/local/etc/php/php.ini
<b>Scan this dir for additional .ini files</b>	/usr/local/etc/php/conf.d
<b>Additional .ini files parsed</b>	/usr/local/etc/php/conf.d/docker-php-ext-gd.ini, /usr/local/etc/php/conf.d/docker-php-ext-mysqli.ini, /usr/local/etc/php/conf.d/docker-php-ext-pdo_mysql.ini, /usr/local/etc/php/conf.d/docker-php-ext-sodium.ini, /usr/local/etc/php/conf.d/docker-php-ext-zip.ini
<b>PHP API</b>	20200930
<b>PHP Extension</b>	20200930
<b>Zend Extension</b>	420200930
<b>Zend Extension Build</b>	API420200930,NTS
<b>PHP Extension Build</b>	API20200930,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Signal Handling</b>	enabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	provided by mbstring
<b>IPv6 Support</b>	enabled
<b>DTrace Support</b>	disabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3
<b>Registered Stream Filters</b>	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v4.0.2, Copyright (c) Zend Technologies



## Configuration apache2handler

<b>Apache Version</b>	Apache/2.4.38 (Debian)
<b>Apache API Version</b>	20120211
<b>Server Administrator</b>	webmaster@localhost
<b>Hostname:Port</b>	172.21.0.3:80
<b>User/Group</b>	www-data(33)/33
<b>Max Requests</b>	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 300 - Keep-Alive: 5

Virtual Server	Yes
Server Root	/etc/apache2
Loaded Modules	core mod_so mod_watchdog http_core mod_log_config mod_logio mod_version mod_unixd mod_access_compat mod_alias mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_host mod_authz_user mod_autoindex mod_deflate mod_dir mod_env mod_filter mod_mime prefork mod_negotiation mod_php mod_reqtimeout mod_setenvif mod_status

Directive	Local Value	Master Value
engine	On	On
last_modified	Off	Off
xbithack	Off	Off

## Apache Environment

Variable	Value
HTTP_HOST	192.168.2.56:8080
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_COOKIE	_pk_id.1.abde=307bfa0cddff2dae.1613656877.; _pk_ses.1.abde=1; PHPSESSID=1b556622157751ceec62c6be11e15dcb
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_6) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/14.0.3 Safari/605.1.15
HTTP_ACCEPT_LANGUAGE	fr-ca
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
SERVER_SIGNATURE	<address>Apache/2.4.38 (Debian) Server at 192.168.2.56 Port 8080</address>
SERVER_SOFTWARE	Apache/2.4.38 (Debian)
SERVER_NAME	192.168.2.56
SERVER_ADDR	172.21.0.3
SERVER_PORT	8080
REMOTE_ADDR	192.168.2.11
DOCUMENT_ROOT	/var/www/html
REQUEST_SCHEME	http
CONTEXT_PREFIX	<i>no value</i>
CONTEXT_DOCUMENT_ROOT	/var/www/html
SERVER_ADMIN	webmaster@localhost
SCRIPT_FILENAME	/var/www/html/info.php
REMOTE_PORT	60944
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php

## HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /info.php HTTP/1.1
Host	192.168.2.56:8080
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

Upgrade-Insecure-Requests	1
Cookie	_pk_id.1.abde=307bfa0cddff2dae.1613656877.; _pk_ses.1.abde=1; PHPSESSID=1b556622157751ceec62c6be11e15dcb
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_6) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/14.0.3 Safari/605.1.15
Accept-Language	fr-ca
Accept-Encoding	gzip, deflate
Connection	keep-alive
<b>HTTP Response Headers</b>	
X-Powered-By	PHP/8.0.2

## Core

PHP Version	8.0.2
-------------	-------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527
expose_php	On	On
extension_dir	/usr/local/lib/php/extensions/no-debug-non-zts-20200930	/usr/local/lib/php/extensions/no-debug-non-zts-20200930
file_uploads	On	On
hard_timeout	2	2
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off

<b>ignore_repeated_source</b>	Off	Off
<b>ignore_user_abort</b>	Off	Off
<b>implicit_flush</b>	Off	Off
<b>include_path</b>	./usr/local/lib/php	./usr/local/lib/php
<b>input_encoding</b>	<i>no value</i>	<i>no value</i>
<b>internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>log_errors</b>	On	On
<b>log_errors_max_len</b>	1024	1024
<b>mail.add_x_header</b>	Off	Off
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>mail.log</b>	<i>no value</i>	<i>no value</i>
<b>max_execution_time</b>	30	30
<b>max_file_uploads</b>	20	20
<b>max_input_nesting_level</b>	64	64
<b>max_input_time</b>	60	60
<b>max_input_vars</b>	4000	4000
<b>memory_limit</b>	128M	128M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	4096	4096
<b>output_encoding</b>	<i>no value</i>	<i>no value</i>
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	8M	8M
<b>precision</b>	14	14
<b>realpath_cache_size</b>	4096K	4096K
<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	Off	Off
<b>report_memleaks</b>	On	On
<b>report zend debug</b>	Off	Off
<b>request_order</b>	GP	GP
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
<b>serialize_precision</b>	-1	-1
<b>short_open_tag</b>	Off	Off
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sys_temp_dir</b>	<i>no value</i>	<i>no value</i>
<b>syslog.facility</b>	LOG_USER	LOG_USER
<b>syslog.filter</b>	no-ctrl	no-ctrl
<b>syslog.ident</b>	php	php
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	2M	2M
<b>upload_tmp_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	.user.ini	.user.ini
<b>variables_order</b>	GPCS	GPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off

zend.assertions	-1	-1
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.exception_ignore_args	On	On
zend.exception_string_param_max_len	0	0
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>
zend.signal_check	Off	Off

## ctype

ctype functions	enabled
-----------------	---------

## curl

cURL support	enabled
cURL Information	7.64.0
Age	4
Features	
AsynchDNS	Yes
CharConv	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
krb4	No
Largefile	Yes
libz	Yes
NTLM	Yes
NTLMWB	Yes
SPNEGO	Yes
SSL	Yes
SSPI	No
TLS-SRP	Yes
HTTP2	Yes
GSSAPI	Yes
KERBEROS5	Yes
UNIX_SOCKETS	Yes
PSL	Yes
HTTPS_PROXY	Yes
MULTI_SSL	No
BROTLI	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp
Host	arm-unknown-linux-gnueabi
SSL Version	OpenSSL/1.1.1d
ZLib Version	1.2.11
libSSH Version	libssh2/1.8.0

Directive	Local Value	Master Value
-----------	-------------	--------------

curl.cainfo	<i>no value</i>	<i>no value</i>
-------------	-----------------	-----------------

## date

date/time support	enabled
timelib version	2020.02
"Olson" Timezone Database Version	2020.4
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.833333	90.833333
date.sunset_zenith	90.833333	90.833333
date.timezone	<i>no value</i>	<i>no value</i>

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.4
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## fileinfo

fileinfo support	enabled
libmagic	539

## filter

Input Validation and Filtering	enabled
--------------------------------	---------

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
FTPS support	enabled

## gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
GIF Read Support	enabled
GIF Create Support	enabled

<b>PNG Support</b>	enabled
<b>libPNG Version</b>	1.6.36
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled
<b>BMP Support</b>	enabled
<b>TGA Read Support</b>	enabled

Directive	Local Value	Master Value
<b>gd.jpeg_ignore_warning</b>	1	1

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512/224 sha512/256 sha512 sha3-224 sha3-256 sha3-384 sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snefru256 gost gost-crypto adler32 crc32 crc32b crc32c fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

<b>MHASH support</b>	Enabled
<b>MHASH API Version</b>	Emulated Support

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	2.28

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	<i>no value</i>	<i>no value</i>
<b>iconv.internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>iconv.output_encoding</b>	<i>no value</i>	<i>no value</i>

## json

<b>json support</b>	enabled
---------------------	---------

## libxml

<b>libXML support</b>	active
<b>libXML Compiled Version</b>	2.9.4
<b>libXML Loaded Version</b>	20904
<b>libXML streams</b>	enabled

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>HTTP input encoding translation</b>	disabled
<b>libmbfl version</b>	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

<b>Multibyte (japanese) regex support</b>	enabled
---	---------

Multibyte regex (oniguruma) version	6.9.1
-------------------------------------	-------

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.regex_retry_limit	1000000	1000000
mbstring.regex_stack_limit	100000	100000
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mysqli

Mysqli Support	enabled
Client API library version	mysqli 8.0.2
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	Off	Off
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off
mysqli.rollback_on_cached_plink	Off	Off

## mysqli

mysqli	enabled
Version	mysqli 8.0.2
Compression	supported
core SSL	supported
extended SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	86400
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqli,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_caching_sha2_password,auth_plugin_sha256_password



API Extensions	mysqli,pdo_mysql
----------------	------------------

## openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.1.1d 10 Sep 2019
OpenSSL Header Version	OpenSSL 1.1.1d 10 Sep 2019
Openssl default config	/usr/lib/ssl/openssl.cnf

Directive	Local Value	Master Value
openssl.cafile	<i>no value</i>	<i>no value</i>
openssl.capath	<i>no value</i>	<i>no value</i>

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	10.35 2020-05-09
PCRE Unicode Version	13.0.0
PCRE JIT Support	enabled
PCRE JIT Target	ARM-Thumb2 32bit (little endian + unaligned) ABI:hardfp

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.jit	1	1
pcre.recursion_limit	100000	100000

## PDO

PDO support	enabled
PDO drivers	sqlite, mysql

## pdo\_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 8.0.2

Directive	Local Value	Master Value
pdo_mysql.default_socket	<i>no value</i>	<i>no value</i>

## pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.27.2

## Phar

Phar: PHP Archive support	enabled
Phar API version	1.1.1
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled

<b>bzip2 compression</b>	disabled (install ext/bz2)
<b>Native OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On
<b>phar.require_hash</b>	On	On

## posix

<b>POSIX support</b>	enabled
----------------------	---------

## Reflection

<b>Reflection</b>	enabled
-------------------	---------

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user
<b>Registered serializer handlers</b>	php_serialize php php_binary

Directive	Local Value	Master Value
<b>session.auto_start</b>	Off	Off
<b>session.cache_expire</b>	180	180
<b>session.cache_limiter</b>	nocache	nocache
<b>session.cookie_domain</b>	<i>no value</i>	<i>no value</i>
<b>session.cookie_httponly</b>	<i>no value</i>	<i>no value</i>
<b>session.cookie_lifetime</b>	0	0
<b>session.cookie_path</b>	/	/
<b>session.cookie_samesite</b>	<i>no value</i>	<i>no value</i>
<b>session.cookie_secure</b>	0	0
<b>session.gc_divisor</b>	1000	1000
<b>session.gc_maxlifetime</b>	1440	1440
<b>session.gc_probability</b>	1	1
<b>session.lazy_write</b>	On	On
<b>session.name</b>	PHPSESSID	PHPSESSID
<b>session.referer_check</b>	<i>no value</i>	<i>no value</i>
<b>session.save_handler</b>	files	files
<b>session.save_path</b>	<i>no value</i>	<i>no value</i>
<b>session.serialize_handler</b>	php	php
<b>session.sid_bits_per_character</b>	5	5
<b>session.sid_length</b>	26	26
<b>session.upload_progress.cleanup</b>	On	On
<b>session.upload_progress.enabled</b>	On	On
<b>session.upload_progress.freq</b>	1%	1%
<b>session.upload_progress.min_freq</b>	1	1

<b>session.upload_progress.name</b>	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
<b>session.upload_progress.prefix</b>	upload_progress_	upload_progress_
<b>session.use_cookies</b>	1	1
<b>session.use_only_cookies</b>	1	1
<b>session.use_strict_mode</b>	0	0
<b>session.use_trans_sid</b>	0	0

## SimpleXML

<b>SimpleXML support</b>	enabled
<b>Schema support</b>	enabled

## sodium

<b>sodium support</b>	<b>enabled</b>
<b>libsodium headers version</b>	1.0.17
<b>libsodium library version</b>	1.0.17

## SPL

<b>SPL support</b>	<b>enabled</b>
<b>Interfaces</b>	OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## sqlite3

<b>SQLite3 support</b>	<b>enabled</b>
<b>SQLite Library</b>	3.27.2

Directive	Local Value	Master Value
<b>sqlite3.defensive</b>	On	On
<b>sqlite3.extension_dir</b>	<i>no value</i>	<i>no value</i>

## standard

<b>Dynamic Library Support</b>	enabled
<b>Path to sendmail</b>	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
<b>assert.active</b>	On	On
<b>assert.bail</b>	Off	Off
<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.exception</b>	On	On
<b>assert.warning</b>	On	On
<b>auto_detect_line_endings</b>	Off	Off
<b>default_socket_timeout</b>	60	60
<b>from</b>	<i>no value</i>	<i>no value</i>

session.trans_sid_hosts	no value	no value
session.trans_sid_tags	a=href,area=href,frame=src,form=	a=href,area=href,frame=src,form=
unserialize_max_depth	4096	4096
url_rewriter.hosts	no value	no value
url_rewriter.tags	form=	form=
user_agent	no value	no value

### tokenizer

Tokenizer Support	enabled
-------------------	---------

### xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.4

### xmlreader

XMLReader	enabled
-----------	---------

### xmlwriter

XMLWriter	enabled
-----------	---------

### zip

Zip	enabled
Zip version	1.19.2
Libzip version	1.5.1

### zlib

<b>ZLib Support</b>	<b>enabled</b>	
Stream Wrapper	compress.zlib://	
Stream Filter	zlib.inflate, zlib.deflate	
Compiled Version	1.2.11	
Linked Version	1.2.11	

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

### Additional Modules

Module Name
-------------

### Environment

Variable	Value
HOSTNAME	effa5f35b7e3
PHP_VERSION	8.0.2

APACHE_CONFDIR	/etc/apache2
PHP_INI_DIR	/usr/local/etc/php
GPG_KEYS	1729F83938DA44E27BA0F4D3DBDB397470D12172 BFDDDD28642824F8118EF77909B67A5C12229118F
PHP_LDFLAGS	-Wl,-O1 -pie
PWD	/var/www/html
APACHE_LOG_DIR	/var/log/apache2
LANG	C
PHP_SHA256	84dd6e36f48c3a71ff5dceba375c1f6b34b71d4fa9e06b720780127176468ccc
APACHE_PID_FILE	/var/run/apache2/apache2.pid
PHPIZE_DEPS	autoconf dpkg-dev file g++ gcc libc-dev make pkg-config re2c
PHP_URL	https://www.php.net/distributions/php-8.0.2.tar.xz?a=1
APACHE_RUN_GROUP	www-data
APACHE_LOCK_DIR	/var/lock/apache2
PHP_EXTRA_CONFIGURE_ARGS	--with-apxs2 --disable-cgi
SHLVL	0
PHP_CFLAGS	-fstack-protector-strong -fpic -fpie -O2 -D_LARGEFILE_SOURCE -D_FILE_OFFSET_BITS=64
APACHE_RUN_DIR	/var/run/apache2
APACHE_ENVVARS	/etc/apache2/envvars
APACHE_RUN_USER	www-data
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
PHP_EXTRA_BUILD_DEPS	apache2-dev
PHP_ASC_URL	https://www.php.net/distributions/php-8.0.2.tar.xz.asc?a=1
PHP_CPPFLAGS	-fstack-protector-strong -fpic -fpie -O2 -D_LARGEFILE_SOURCE -D_FILE_OFFSET_BITS=64

## PHP Variables

Variable	Value
\$_COOKIE['_pk_id_1_abde']	307bfa0cddff2dae.1613656877.
\$_COOKIE['_pk_ses_1_abde']	1
\$_COOKIE['PHPSESSID']	1b556622157751ceec62c6be11e15dcb
\$_SERVER['HTTP_HOST']	192.168.2.56:8080
\$_SERVER['HTTP_ACCEPT']	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
\$_SERVER['HTTP_UPGRADE_INSECURE_REQUESTS']	1
\$_SERVER['HTTP_COOKIE']	_pk_id.1.abde=307bfa0cddff2dae.1613656877.; _pk_ses.1.abde=1; PHPSESSID=1b556622157751ceec62c6be11e15dcb
\$_SERVER['HTTP_USER_AGENT']	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_6) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/14.0.3 Safari/605.1.15
\$_SERVER['HTTP_ACCEPT_LANGUAGE']	fr-ca
\$_SERVER['HTTP_ACCEPT_ENCODING']	gzip, deflate
\$_SERVER['HTTP_CONNECTION']	keep-alive
\$_SERVER['PATH']	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
\$_SERVER['SERVER_SIGNATURE']	<address>Apache/2.4.38 (Debian) Server at 192.168.2.56 Port 8080</address>
\$_SERVER['SERVER_SOFTWARE']	Apache/2.4.38 (Debian)
\$_SERVER['SERVER_NAME']	192.168.2.56
\$_SERVER['SERVER_ADDR']	172.21.0.3
\$_SERVER['SERVER_PORT']	8080
\$_SERVER['REMOTE_ADDR']	192.168.2.11
\$_SERVER['DOCUMENT_ROOT']	/var/www/html
\$_SERVER['REQUEST_SCHEME']	http
\$_SERVER['CONTEXT_PREFIX']	<i>no value</i>

\$ _SERVER['CONTEXT_DOCUMENT_ROOT']	/var/www/html
\$ _SERVER['SERVER_ADMIN']	webmaster@localhost
\$ _SERVER['SCRIPT_FILENAME']	/var/www/html/info.php
\$ _SERVER['REMOTE_PORT']	60944
\$ _SERVER['GATEWAY_INTERFACE']	CGI/1.1
\$ _SERVER['SERVER_PROTOCOL']	HTTP/1.1
\$ _SERVER['REQUEST_METHOD']	GET
\$ _SERVER['QUERY_STRING']	<i>no value</i>
\$ _SERVER['REQUEST_URI']	/info.php
\$ _SERVER['SCRIPT_NAME']	/info.php
\$ _SERVER['PHP_SELF']	/info.php
\$ _SERVER['REQUEST_TIME_FLOAT']	1614108877.6096
\$ _SERVER['REQUEST_TIME']	1614108877

## PHP Credits

PHP Group	
Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski	

Language Design & Concept	
Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger	

PHP Authors	
Contribution	Authors
Zend Scripting Language Engine	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchun Hui, Nikita Popov
Extension Module API	Andi Gutmans, Zeev Suraski, Andrei Zmievski
UNIX Build and Modularization	Stig Bakken, Sascha Schumann, Jani Taskinen, Peter Kokot
Windows Support	Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski, Kalle Sommer Nielsen
Server API (SAPI) Abstraction Layer	Andi Gutmans, Shane Caraveo, Zeev Suraski
Streams Abstraction Layer	Wez Furlong, Sara Golemon
PHP Data Objects Layer	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
Output Handler	Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner
Consistent 64 bit support	Anthony Ferrara, Anatol Belski

SAPI Modules	
Contribution	Authors
Apache 2.0 Handler	Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)
CGI / FastCGI	Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov
CLI	Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui
Embed	Edin Kadribasic
FastCGI Process Manager	Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet
litespeed	George Wang
phpdbg	Felipe Pena, Joe Watkins, Bob Weinand

Module Authors	
Module	Authors
BC Math	Andi Gutmans
Bzip2	Sterling Hughes
Calendar	Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong

<b>COM and .Net</b>	Wez Furlong
<b>ctype</b>	Hartmut Holzgraefe
<b>cURL</b>	Sterling Hughes
<b>Date/Time Support</b>	Derick Rethans
<b>DB-LIB (MS SQL, Sybase)</b>	Wez Furlong, Frank M. Kromann, Adam Baratz
<b>DBA</b>	Sascha Schumann, Marcus Boerger
<b>DOM</b>	Christian Stocker, Rob Richards, Marcus Boerger
<b>enchant</b>	Pierre-Alain Joye, Ilia Alshanetsky
<b>EXIF</b>	Rasmus Lerdorf, Marcus Boerger
<b>FFI</b>	Dmitry Stogov
<b>fileinfo</b>	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans, Anatol Belski
<b>Firebird driver for PDO</b>	Ard Biesheuvel
<b>FTP</b>	Stefan Esser, Andrew Skalski
<b>GD imaging</b>	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger, Mark Randall
<b>GetText</b>	Alex Plotnick
<b>GNU GMP support</b>	Stanislav Malyshev
<b>Iconv</b>	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
<b>IMAP</b>	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
<b>Input Filter</b>	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
<b>Internationalization</b>	Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
<b>JSON</b>	Jakub Zelenka, Omar Kilani, Scott MacVicar
<b>LDAP</b>	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
<b>LIBXML</b>	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
<b>Multibyte String Functions</b>	Tsukada Takuya, Rui Hirokawa
<b>MySQL driver for PDO</b>	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
<b>MySQLi</b>	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
<b>MySQLnd</b>	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter
<b>OCI8</b>	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation
<b>ODBC driver for PDO</b>	Wez Furlong
<b>ODBC</b>	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
<b>Opcache</b>	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Dmitry Stogov, Xinchun Hui
<b>OpenSSL</b>	Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar, Eliot Lear
<b>Oracle (OCI) driver for PDO</b>	Wez Furlong
<b>pcntl</b>	Jason Greene, Arnaud Le Blanc
<b>Perl Compatible Regexp</b>	Andrei Zmievski
<b>PHP Archive</b>	Gregory Beaver, Marcus Boerger
<b>PHP Data Objects</b>	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
<b>PHP hash</b>	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
<b>Posix</b>	Kristian Koehn
<b>PostgreSQL driver for PDO</b>	Edin Kadribasic, Ilia Alshanetsky
<b>PostgreSQL</b>	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
<b>Pspell</b>	Vlad Krupin
<b>Readline</b>	Thies C. Arntzen
<b>Reflection</b>	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
<b>Sessions</b>	Sascha Schumann, Andrei Zmievski
<b>Shared Memory Operations</b>	Slava Poliakov, Ilia Alshanetsky
<b>SimpleXML</b>	Sterling Hughes, Marcus Boerger, Rob Richards

<b>SNMP</b>	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin
<b>SOAP</b>	Brad Lafountain, Shane Caraveo, Dmitry Stogov
<b>Sockets</b>	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
<b>Sodium</b>	Frank Denis
<b>SPL</b>	Marcus Boerger, Etienne Kneuss
<b>SQLite 3.x driver for PDO</b>	Wez Furlong
<b>SQLite3</b>	Scott MacVicar, Ilia Alshanetsky, Brad Dewar
<b>System V Message based IPC</b>	Wez Furlong
<b>System V Semaphores</b>	Tom May
<b>System V Shared Memory</b>	Christian Cartus
<b>tidy</b>	John Coggeshall, Ilia Alshanetsky
<b>tokenizer</b>	Andrei Zmievski, Johannes Schlueter
<b>XML</b>	Stig Bakken, Thies C. Arntzen, Sterling Hughes
<b>XMLReader</b>	Rob Richards
<b>XMLWriter</b>	Rob Richards, Pierre-Alain Joye
<b>XSL</b>	Christian Stocker, Rob Richards
<b>Zip</b>	Pierre-Alain Joye, Remi Collet
<b>Zlib</b>	Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner

#### PHP Documentation

<b>Authors</b>	Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Philip Olson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey
<b>Editor</b>	Peter Cowburn
<b>User Note Maintainers</b>	Daniel P. Brown, Thiago Henrique Pojda
<b>Other Contributors</b>	Previously active authors, editors and other contributors are listed in the manual.

#### PHP Quality Assurance Team

**Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs**

#### Websites and Infrastructure team

<b>PHP Websites Team</b>	Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison
<b>Event Maintainers</b>	Damien Seguy, Daniel P. Brown
<b>Network Infrastructure</b>	Daniel P. Brown
<b>Windows Infrastructure</b>	Alex Schoenmaker

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).